

Wheeled washing machine from 20 to 500 bar with cold water

3.3



HD Evolution is a professional mobile washing machine. Its tough **100% steel structure** and maneuverability make it ideal to be used in difficult work environments and it is particularly suitable for special assemblies, such as the very **high pressure versions at 500 bars**.

Thanks to its characteristics, the **HD Evolution** has a particularly effective cleaning action, speeding up work and therefore saving considerable operator's time.

The attention to details and the quality of the products used are a guarantee of safety for the operator, the environment and the machine itself.

Great care has been taken over every detail of assembly to facilitate access and repairs.

The **24 V control panel** controls the entire washing machine effectively.

Various optional accessories are available to adapt the washing machine to specific work situations.

Versions with inverter are available on request.

HD Evolution

MAX PRESSURE 500 BAR

Wheeled washing machine from 20 to 500 bar with cold water

3.3

Available configurations

CODE	MAX. FLOW RATE (lt/min)	ADJUSTABLE PRESSURE (Bar)	POWER (KW)	POWER SUPPLY (Volt)	RPM	WEIGHT (kg)	DIMENSIONS (LxHxP) mm	MAX. IN-LET TEMPERATURE
10.5947.00*	30	20 - 250	15	400	1450	210	1100x920x700	60°C
10.3763.00	30	20 - 300	18,5	400	1450	210	1100x920x700	60°C
10.5948.00	30	20 - 350	22	400	1000	290	1100x920x700	60°C
10.5949.00	25/30	20 - 500	30	400	1000	320	1100x920x700	60°C

* senza inverter ma con tecnologia SOFT STARTER - A richiesta i modelli con INVERTER possono essere realizzati con tecnologia SOFT STARTER che permette un recupero sostanziale dei costi

Technical features

- Inverter Technology
- Low Voltage controls (24 volt)
- Total stop
- Electronic card for lack in h.p.
- Block of the system if not used for an hour
- Over temperature 70 ° C. safety control
- Working pressure adjustment
- Pressure indicator
- Pressure controls
- Pump with 3 ceramic pistons and s/s valve
- IP65 control panel
- Chemical suction in h.p. (Optional)
- Heavy metal steel frame with S/s panels
- Water tank in observation of the antipollution standards
- Big front wheel and brake
- Fork mounted and liftable

Wheeled washing machine from 20 to 500 bar with cold water

3.3

Standard accessories only versions from 20 to 250 Bar



90 cm stainless steel athermic lance without nozzle - gun ST2300 Sw
Sec. 9.6 - Cod. 10.3532.00



S/s nozzle 1/8"
Sec. 9.7



H.p. hose. R/2 L= 15mt. Crimp 3/8 "
zinc. female
Sec. 9.10 - Cod. 10.3534.00

Accessories included only for the 300 and 500 Bar



S/s washing lance cm 90 without nozzle,
complete of gun RL600 Sw **Cod. 40.6412.00**



H.p. pedals 700 Bar
Cod. 40.5950.00 (Optional)



H.p. hose VHP-700 Bar
Ø 12,75 mt FF 1/4"
Cod. 10.6411.00